

## EAST Search History

| Ref # | Hits | Search Query   | DBs   | Default Operator | Plurals | Time Stamp          |
|-------|------|--|---|------------------|---------|---------------------|
| L3    | 66   | (370,455,229-235,230.1,253,310.ocls.) and (drop\$4 disabl\$3 discard\$3 deny\$3 denied) with (burst\$3 near3 packet) with (packet frame flow cell) | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2008/09/15<br>08:58 |
| S1    | 757  | (router gateway switch hub (access\$3 near2 point)) with rate near2 measur\$5 and @ay<="2002"  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/08/21<br>16:07 |
| S2    | 1158 | (router gateway switch hub) with (rate near2 (measur\$6 calculat\$4)) and @ay<="2002"  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/08/22<br>10:04 |
| S3    | 1    | S1 and (drop\$4 disabl\$3 discard\$3 deny\$3 denied) with (burst\$3 near3 packet)  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/08/21<br>16:11 |
| S4    | 1    | S1 and (drop\$4 disabl\$3 discard\$3 deny\$3 denied) with ((burst\$3 high-rate\$3) near3 packet)   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/08/21<br>16:23 |
| S5    | 28   | S1 and (drop\$4 disabl\$3 discard\$3 deny\$3 denied) near10 packet   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/08/21<br>16:24 |
| S6    | 3    | S2 and (drop\$4 disabl\$3 discard\$3 deny\$3 denied) with ((burst\$3 high-rate\$3) near5 packet)   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/08/22<br>17:26 |

|     |     |  |   |    |    |                     |
|-----|-----|--|---|----|----|---------------------|
| S7  | 54  | S2 and (drop\$4 disabl\$3 discard\$3 deny\$3 denied) near10 packet   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/21<br>17:12 |
| S8  | 100 | (node near5 (measur\$6 calculat\$4) near5 (packet data) near5 rate) and @ay<="2002"  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/21<br>17:16 |
| S9  | 31  | S8 and ((disabl\$3 discard\$3 drop\$4) near8 (packet data))  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/21<br>17:20 |
| S10 | 136 | (router gateway switch hub node) with (rate near2 (measur\$6 calculat\$4) near3 (unit part section element means)) and @ay<="2002" | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/22<br>10:28 |
| S11 | 20  | S10 and ("370"/\$.ccls.<br>"709"/\$.ccls.)   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/22<br>10:22 |
| S12 | 15  | S11 not (error near rate)  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/22<br>13:33 |
| S13 | 2   | "20030095567".pn.  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/22<br>13:36 |
| S15 | 1   | "703629".apn.  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/22<br>13:36 |

|     |      |  |   |    |    |                     |
|-----|------|--|---|----|----|---------------------|
| S16 | 1754 | (drop\$4 disabl\$3 discard\$3 deny\$3 denied) near8 (tcp udp)  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/23<br>09:21 |
| S17 | 88   | (drop\$4 disabl\$3 discard\$3 deny\$3 denied) near8 (tcp udp) and tcp and udp and rtp and @ay<="2002"  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/22<br>17:38 |
| S18 | 10   | (drop\$4 disabl\$3 discard\$3 deny\$3 denied) near8 (tcp udp) same tcp same udp same rtp and @ay<="2002"   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/22<br>18:09 |
| S20 | 2    | "20040066746".pn.  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/23<br>10:27 |
| S21 | 25   | ((identif\$7 recogniz\$4 determin\$5) near10 protocol) same congestion same transmi\$5 near2 rate and @ay<="2002"  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/23<br>13:34 |
| S22 | 48   | ((identif\$7 recogniz\$4 determin\$5 prioritiz\$5) near5 protocol) same ((identif\$7 recogniz\$4 determin\$5 calculat\$4) near5 (transmi\$5 near2 rate)) and @ay<="2002" | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/23<br>10:56 |
| S23 | 422  | ((identif\$7 recogniz\$4 determin\$5 prioritiz\$5) near5 protocol) same ((identif\$7 recogniz\$4 determin\$5 calculat\$4) near5 rate) and @ay<="2002"                    | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/23<br>11:05 |
| S24 | 18   | S23 and (RTP and TCP and UDP)  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/23<br>10:57 |

|     |      |  |   |    |    |                     |
|-----|------|--|---|----|----|---------------------|
| S25 | 2424 | ((identif\$7 recogniz\$4 determin\$5 prioritiz\$5) near5 ((protocol near2 type) transport)) and ((identif\$7 recogniz\$4 determin\$5 calculat\$4) near5 rate) and @ay<="2002"  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/23<br>11:10 |
| S26 | 699  | ((identif\$7 recogniz\$4 determin\$5 prioritiz\$5) near5 ((protocol near2 type) transport)) same ((identif\$7 recogniz\$4 determin\$5 calculat\$4) near5 rate) and @ay<="2002" | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/23<br>11:13 |
| S27 | 9    | S26 and UDP and TCP and RTP  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/23<br>11:10 |
| S28 | 141  | ((identif\$7 recogniz\$4 determin\$5 calculat\$4) near5 rate) and ((stop\$4 block\$3 drop\$4 disabl\$3) near5 (burst\$5 near2 (data packet traffic))) and @ay<="2002"          | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/23<br>13:20 |
| S30 | 7    | S28 and (UDP and RTP)  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/23<br>11:24 |
| S31 | 16   | ((identif\$7 recogniz\$4 determin\$5 calculat\$4) with rate) and ((stop\$4 block\$3 drop\$4 disabl\$3) with (bursty near8 packet)) and @ay<="2002"                             | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/23<br>13:32 |
| S32 | 2    | "5631935".pn.  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/23<br>13:32 |
| S33 | 0    | ((identif\$7 recogniz\$4 determin\$5) with (transport near2 layer)) same congestion same transmi\$5 near2 rate and @ay<="2002"   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/23<br>13:35 |

|     |     |   |   |    |    |                     |
|-----|-----|---|---|----|----|---------------------|
| S34 | 4   | ((identif\$7 recogniz\$4 determin\$5) with (transport near2 layer)) same transmi\$5 near2 rate and @ay<="2002"                | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/23<br>13:41 |
| S35 | 2   | ((identif\$7 recogniz\$4 determin\$5) with (transport near2 layer)) same ((measur\$5 calculat\$5) near2 rate) and @ay<="2002" | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/23<br>13:48 |
| S36 | 7   | ((identif\$7 recogniz\$4 determin\$5) with (packet near5 protocol)) same ((measur\$5 calculat\$5) near2 rate) and @ay<="2002" | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/23<br>13:47 |
| S37 | 145 | ((identif\$7 recogniz\$4 determin\$5) with (packet near5 protocol)) and ((measur\$5 calculat\$5) near2 rate) and @ay<="2002"  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/23<br>13:47 |
| S38 | 67  | ((identif\$7 recogniz\$4 determin\$5) with (transport near2 layer)) and ((measur\$5 calculat\$5) near2 rate) and @ay<="2002"  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/23<br>13:48 |
| S39 | 11  | S38 and UDP and RTP   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/23<br>14:01 |
| S40 | 17  | S37 and UDP and RTP   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/23<br>14:03 |
| S41 | 48  | ((measur\$5 near2 rate) same ((drop\$4 disabl\$3 stop\$4 block\$3) near3 packet) and @ay<="2002"                              | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/23<br>16:00 |

|     |    |   |   |    |    |                     |
|-----|----|---|---|----|----|---------------------|
| S42 | 6  | ((packet flow data) near3 (identif\$7 recogni\$8)) same (rate near2 measur \$5) and (transport near2 layer) and @ay<="2002" | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24<br>16:03 |
| S43 | 11 | ((packet flow data) near3 (identif\$7 recogni\$8)) same (rate near2 measur \$5) and (transport near2 layer)                 | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24<br>16:03 |
| S44 | 1  | "20040066746".pn. and priority and (disabl\$3 discard\$3)   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/03/10<br>17:57 |
| S45 | 1  | 10/703629   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/09/14<br>15:15 |
| S46 | 2  | ("5311513", "6064651").pn.  | US-PGPUB;<br>USPAT; EPO;<br>JPO                                   | OR | ON | 2008/09/14<br>15:33 |

9/ 15/ 2008 9:11:14 AM

C:\Documents and Settings\akasraian\My Documents\EAST\Workspaces  
10703629\_router\_03.wsp